



Cover level 110.14
Invert level 109.64
INSPECTION CHAMBER

Primary drains 150mm diam and 200mm where shown
Secondary drains 75mm diam
Gradient of lateral drains varies between 1:140 and 1:200 between 500mm and 600mm below surface (nominal depth drains 600mm)
All pipes plastic flexible and perforated

UTILITY LAYOUT

- EXISTING ADOPTABLE FWS
- EXISTING ADOPTABLE SWS
- PAVILION FWS
- PAVILION SWS
- ELECTRIC SUPPLY CABLE
- EXISTING HV CABLE
- ASSUMED ROUTE OF GAS SERVICE
- EXISTING LV MAIN
- / / / / SPORTS PITCH LAND DRAIN

Re-routed electricity cable runs underground (work done by others)
Approx. distance of electricity cable 1.5m from hedge face
Foul water sewer (under construction)
1m minimum

WORK ON SWS TO BE CARRIED OUT WITH PAVILION CONSTRUCTION

FOWL WATER SEWER CONNECTIONS TO BE CARRIED OUT WITH PAVILION CONSTRUCTION

APPROX LOCATION OF FUTURE CARPARK. SEE DWG SHEET REV'D (WILSON) FOR CARPARK LOCATION & LAYOUT

SEE DWG SHEET REV'D FOR SWS & FWS CONNECTIONS TO PAVILION

REVISION : A : PAVILION LOCATION & CARPARK LAYOUT MODIFIED. DRAINAGE MODIFIED. SILT TRAP REPLACED BY STANDARD DROP MANHOLE 1 AUGUST 2001 SLS

LANDSCAPE TOWN AND COUNTRY LTD
1 TURPYN COURT, NEWPORT ROAD, WUGHTON ON THE GREEN, MILTON KEYNES, MK6 3BW
TELEPHONE: (01908) 663344 FAX: (01908) 678635

CLIENT:	WILCON HOMES (HOME COUNTIES) LIMITED		
PROJECT:	PITSTONE PLAYING FIELDS		
DRAWING TITLE:	DRAINAGE WORKS		CHECKED: SLS
DRAWING NO:	10661/4 REVISION A	DATE: MAY 2001	
SCALE @ SIZE:	1:500 @ A2	DRAWN: SS/JW	

Dept. of Environment
and Planning
10 JAN 2008

This design and drawing is copyright © and remains the property of Landscape Town & Country Ltd
This drawing is to be read with all relevant consultants / specialist. Drawing / documents
The contractor is responsible for setting out and checking all dimension and locating / protecting all services before commencing work.
Discrepancies found between drawings, documents and the site shall be notified immediately to the landscape architect or his representative